



NATIONAL
ENVIRONMENTAL
TESTING, INC.

Indianapolis Division
6964 Hillsdale Ct.
Indianapolis, IN 46250
Tel: (317) 842-4261
Fax: (317) 842-4286

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. HAVENS ST.
KOKOMO, IN 56901-3188

06/02/1998

NET Job Number: 98.03532
Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to NET, Inc. Indianapolis Division for analysis:

Project Description: TWICE WEEKLY WASTEWATER

Sample Number	Sample Description	Date Taken	Date Received
208672	OUTFALL 001	05/27/1998	05/27/1998

JUN - 5 1998

National Environmental Testing, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.

Project Representative

MIL0004783



NATIONAL
ENVIRONMENTAL
TESTING, INC.

Indianapolis Division
6964 Hillside Ct.
Indianapolis, IN 46250
Tel: (317) 842-4261
Fax: (317) 842-4286

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. HAVENS ST.
KOKOMO, IN 56901-3188

06/02/1998

Job No.: 98.03532
Page 2 of 3

Date Received: 05/27/1998
Job Description: TWICE WEEKLY WASTEWATER

Sample Number / Sample I.D.		Sample Date/		Analyst &		Reporting
Parameters	Result	Flag	Units	Date Analyzed	Method	Limit
208672	OUTFALL 001		05/27/1998			
Iron, ICP	0.89		mg/L	tjg / 05/29/1998	EPA 200.7	<0.10
Lead, ICP	<0.080		mg/L	tjg / 05/29/1998	EPA 200.7	<0.080
Silver, ICP	<0.020		mg/L	tjg / 05/29/1998	EPA 200.7	<0.020
Zinc, ICP	2.2		mg/L	tjg / 05/29/1998	EPA 200.7	<0.020

JUN - 5 1998

MIL0004784



NATIONAL
ENVIRONMENTAL
TESTING, INC.

Indianapolis Division
6964 Hillsdale Ct.
Indianapolis, IN 46250
Tel: (317) 842-4261
Fax: (317) 842-4286

FIELD REPORT

JOB #: 98.03532
CLIENT: MILBANK MFG.
PROJECT: TWICE WEEKLY WASTEWATER
DATE: 5/27/98
SAMPLER(S): MTM

An ISCO model 6700 auto sampler was used in the composite mode of operation. The sampler was equipped with a plastic composite jug, tygon suction line, battery, ice, and strainer.

All reusable equipment is decontaminated withalconox, tap water, 5% nitric acid, and deionized water. New tygon suction tubing was used for the sampler. A stainless steel strainer was also used for the sampling event.

The sampler was set to take a sample every 30 minutes for 24 hours.

Monitoring start 08:00 on 5/26/98
Monitoring end 08:00 on 5/27/98

The composite sample was clear.

Notes: Samples were preserved, in the field, in the appropriate containers with any required preservative.

JUN - 5 1998

MIL0004785



COMPANY Milbank
ADDRESS _____
PHONE _____ FAX _____
PROJECT NAME/LOCATION 2x weekly
PROJECT NUMBER _____
PROJECT MANAGER _____

NET QUOTE NO. 98.0060

Michael Milliken
SIGNATURE

SIGNATURE

Which regulations apply: RCRA _____ NPDES Wastewater _____
UST _____ Drinking Water _____
Other _____ None _____

JUN - 5 1998

REMARKS: